




Zvučnici

Ovaj LED monitor opremljen je sa dva visokokvalitetna stereo zvučnika.



ACR

Odnos kontrasta predstavlja merilo razlike između najmračnije crne i najsvetlije bele boje koju Vaš monitor može prikazati. Advanced Contrast Ratio je funkcija koja automatski prilagođava kontrast i osvetljenost ekrana kako bi se osigurao savršen kvalitet slike dok gledate filmove i igrate igre.

01 KARAKTERISTIKE EKRANA

| | |
|-----------------------------|---|
| Dijagonala | 27", 69cm |
| Panel | TN LED-backlit |
| Osnovna rezolucija | 1920 x 1080 (Full HD 1080p, 2.1 megapixel) |
| Format ekrana | 16:9 |
| Osvetljenje | 300 cd/m ² |
| Statički kontrast | 1000:1 |
| Napredni kontrast | 12M:1 |
| Vreme odziva (GTG) | 2ms |
| Zona gledanja | horizontalno/vertikalno: 170°/160°, desno/levo: 85°/85°, gore/dole: 80°/80° |
| Podržane boje | 16.7mln |
| Horizontalna sinhronizacija | 24 - 80KHz |
| Vidljiva površina Š x V | 597.6 x 336.2mm, 23.5 x 13.2" |
| Razmak piksela | 0.3113mm |

02 KONEKTORI / KONTROLE

| | |
|--------------|-----------------------------|
| Ulaz signala | VGA x1 DVI x1 HDMI x1 |
| USB HUB | x0 |

03 KARAKTERISTIKE

| | |
|---------------------|--|
| OSD jezici | EN, DE, FR, ES, IT, PT, CN, RU, JP, CZ, NL, PL |
| Kontrolni tasteri | Power, Menu/ Select, +/- Volume, -/ ECO, Auto |
| Korisničke kontrole | luminance (contrast, brightness, ECO, i-style Colour, ACR), image setup (clock, phase, H. position, V. position, aspect), colour adjust (colour temperature, gamma, sRGB), OSD setup (H. position, V. position, time out, language), others (reset, signal select, HDMI audio, OD, information), volume, auto adjust |
| Zvučnici | 2 x 2W |

04 MEHANIČKI

| | |
|-----------------|-------------------|
| Ugao nagiba | 22° gore; 4° dole |
| VESA montiranje | 100 x 100mm |

05 UKLJUČENI DODACI

| | |
|---------|------------------------------------|
| Kablovi | Strujni kabl, USB |
| Ostalo | kratko uputstvo, bezbednosni vodič |

06 UPRAVLJANJE NAPAJANJEM

| | |
|--------------------|---|
| Napajanje | interna |
| Potrošnja energije | % 1W tipično, 1W stand by, 1W isključen |

07 ODRŽIVOST

| | |
|------------|------------------------------------|
| Propisi | CE, RoHS podrška, ErP, WEEE, REACH |
| REACH SVHC | iznad 0.1%: Olova |

Dimenzije proizvoda Š x V x D

642 x 438 x 250mm

Težina (bez kutije)

8kg

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED